


SAW Bandpass Filter 202544B



1. Features

- IF Bandpass Filter
- High Attenuation
- Single-Ended Operation
- DIP Package
- Maximum Storage Temperature Range : -40°C ~ 85°C
- Electrostatics Sensitive Device (ESD)

2. Package Dimension



Package : D3512


Dimensions shown are nominal in millimeters

Base : Fe(SPCC), Au plating over Ni plated

Cap : Cu & Cr Alloy, Ni Plated

Termination : Kovar, Au Plated

Pin Configuration	
1	Input
5	Output
2, 4	Ground
3, 6	Case ground

	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	202544B	
		Rev. Date	2004-05-07	
		Rev.	NI2020-CS02	1/5

SAW Bandpass Filter 202544B



3. Specifications

Fo = 160.1 MHz

Terminating source impedance : 50Ω and matching network

Terminating load impedance : 50Ω and matching network

		Minimum	Typical	Maximum
Center Frequency	MHz	-	160.1	-
Insertion Loss	dB	-	25.0	26.0
1dB Bandwidth	MHz	-	19.1	-
3dB Bandwidth	MHz	19.4	19.48	-
40dB Bandwidth	MHz	-	21.0	21.2
Amplitude Ripple (Fo +/- 9.375 MHz)	dB	-	0.8	1.0
Group Delay Variation (Fo +/- 9.375 MHz)	nsec	-	45	120
Absolute Delay	usec	-	2.04	-
Ultimate Rejection	dB	48	50	-
Temperature Coefficient of Frequency	ppm/°C	-	-72	-

Notes :

- 1) All specifications are based on the matching schematic shown below
- 2) All specifications are measured by Agilent Network analyzer and full 2 port calibration at room temperature
- 3) All attenuation measurements are measured relative to insertion loss


	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	202544B	
		Rev. Date	2004-05-07	
		Rev.	NI2020-CS02	2/5

SAW Bandpass Filter 202544B



4. Matching Schematic

(Actual matching values may vary due to PCB layout and parasitics)



$$L1 = L2 = 15 \text{ nH}$$

$$C1 = C2 = 20 \text{ pF}$$

5. Marking Configuration


ITF¹⁾ 04A001²⁾

202544B³⁾

1) Manufacturer name

2) Lot Number



3) Part Number

 Integrated Technology Future	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	202544B	
		Rev. Date	2004-05-07	
		Rev.	NI2020-CS02	3/5

SAW Bandpass Filter 202544B



6. Typical Performance (at +25°C)







ITF Co., Ltd.
 102-901, Bucheon Technopark 364,
 Samjeong-Dong, Ojeong-Gu, Bucheon-City,
 Gyeonggi-Do, Korea 421-809

Part No. 202544B

Rev. Date 2004-05-07

Rev. NI2020-CS02 4/5

SAW Bandpass Filter 202544B



ITF Co., Ltd.
 102-901, Bucheon Technopark 364,
 Samjeong-Dong, Ojeong-Gu, Bucheon-City,
 Gyeonggi-Do, Korea 421-809

Part No.	202544B	
Rev. Date	2004-05-07	
Rev.	NI2020-CS02	5/5