


# SAW Bandpass Filter 270701B



## 1. Features

- IF Bandpass Filter
- High Attenuation
- Single-Ended Operation
- DIP Package
- Maximum Storage Temperature Range : -40°C ~ 85°C
- Electrostatics Sensitive Device (ESD)

## 2. Package Dimension



**Package : D3512**

Dimensions shown are nominal in millimeters  
 Base : Fe(SPCC), Au plating over Ni plated  
 Cap : Cu & Cr Alloy, Ni Plated  
 Termination : Kovar, Au Plated

Pin Configuration	
1	Input
5	Output
2, 4	Ground
3, 6	Case ground

	<b>ITF Co., Ltd.</b> 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	270701B	
		Rev. Date	2004-03-23	
		Rev.	NM3033-CS03	1/6

# SAW Bandpass Filter 270701B



## 3. Specifications

Fo = 70.0 MHz

Terminating source impedance : 50Ω and matching network

Terminating load impedance : 50Ω and matching network

		Minimum	Typical	Maximum
Center Frequency	MHz	-	70.0	-
Insertion Loss	dB	-	23.5	25.0
3dB Bandwidth	MHz	7.7	7.77	7.9
40dB Bandwidth	MHz	-	8.57	8.65
Amplitude Ripple (Fo +/- 3.6 MHz)	dB	-	0.8	1
Group Delay Variation (Fo +/- 3.6 MHz)	nsec	-	100	150
Relative Attenuation				
30.000 to 65.515 MHz	dB	45	54	-
65.515 to 65.715 MHz	dB	33	37	-
74.285 to 74.485 MHz	dB	33	37	-
74.485 to 100.00 MHz	dB	45	54	-
Absolute Delay	usec	-	3.46	-
Ultimate Rejection	dB	50	-	-
Temperature Coefficient of Frequency	ppm/°C	-	-94	-

### Notes :

- 1) All specifications are based on the matching schematic shown below
- 2) All specifications are measured by Agilent Network analyzer and full 2 port calibration at room temperature
- 3) All attenuation measurements are measured relative to insertion loss


	<b>ITF Co., Ltd.</b> 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	270701B	
		Rev. Date	2004-03-23	
		Rev.	NM3033-CS03	2/6

# SAW Bandpass Filter 270701B



## 4. Matching Schematic

( Actual matching values may vary due to PCB layout and parasitics )



## 5. Marking Configuration

ITF<sup>1)</sup> 04A001<sup>2)</sup>  
270701B<sup>3)</sup>



- 1) Manufacturer name
- 2) Lot Number
- 3) Part Number

	<b>ITF Co., Ltd.</b> 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	270701B	
		Rev. Date	2004-03-23	
		Rev.	NM3033-CS03	3/6

# SAW Bandpass Filter 270701B








## 6. Typical Performance ( at +25°C )



	<b>ITF Co., Ltd.</b> 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	270701B	
		Rev. Date	2004-03-23	
		Rev.	NM3033-CS03	4/6



# SAW Bandpass Filter 270701B



**ITF Co., Ltd.**  
 102-901, Bucheon Technopark 364,  
 Samjeong-Dong, Ojeong-Gu, Bucheon-City,  
 Gyeonggi-Do, Korea 421-809

Part No.	270701B	
Rev. Date	2004-03-23	
Rev.	NM3033-CS03	5/6

# SAW Bandpass Filter 270701B



	<b>ITF Co., Ltd.</b> 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	270701B	
		Rev. Date	2004-03-23	
		Rev.	NM3033-CS03	6/6